

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 39 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 6 1861 190.....

Survey commenced Aug 9 1861

Survey completed Sept 2 1861

a

S 107 on R 39 W

North bet Secs 19 & 20

Na 11' 45" E

14.00 Branch to NW 100 yds & East

17.00 1 ch. E a Pond about 7 yds

Extending to East

24.50 Leave Branch to NW &

29.50 Branch to NW & SE

North Sid 15 1/2 dia 1080

do " 11 " 4 ch

North Sid 20 1/4 " 1085

dia to flag " 1080

30.50 Pond to NW about 8 ch

SE 2 ch

40.00 44 Sec bar in Pond

40.30 Flag leave Pond for Branch

NW & SE

42.50 Leave Branch to NW & SE Set

Witness bar for 44 Sec bar

Put in measured 250 yds

North of two Place

8.00 Set Put in measured

T 107 on R 39 W.

for bar to Secs 17, 18, 19, & 20  
Rolling Prairie Soil 2 cuts  
High Land 3 cuts.

~~East Random bet Secs 17 & 20  
Va 11° 30' E~~

~~33.50-34.10 North Part of March 55 E~~

~~4000 Set temp 44 Sec bar~~

~~56.60 Small dry marsh bar  
nr 3th & 50th~~

~~5800 Leave same~~

~~8000 Out over Sec line 41th  
nr of Sec bar Pat~~

~~Work corrected bet Secs 17 & 20  
Va 11° 12' E~~

~~4000 Set Pat in marsh  
for 44 Sec bar.~~

~~8000 bar to Secs 17, 18, 19, & 20  
Surface Rolling  
Soil Sandy 3 cuts.~~