

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 40 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 6 1861 190

Survey commenced Sept 3. 1861

Survey completed Sept 18 1861

P 107 m N. 40 m.

Loc. Put which stands
150th E. of true Point

7867 True Place for Sec loc
East connected bet.
Secs 18 & 19.

N a 11° 55' E

3867 Set 44 Sec loc.

Put in measured

7867 loc to Secs 17, 18, 19 & 20
recently level good
& into Prairie

North bet Secs 17 & 18

N a 11° 40' E.

4000 Set Put in measured
for 44 Sec loc

6080 Does cross river run
E. bank 10ft high 4ft deep

6120 Across Enter brush

6306 to angle Elm 24 in diam

line tree 1904. Stake in Rotted stump
of Elm. Elm 4" S. 45° N. 2'

P 107 m R 40 m.

- 6533 Road E & W.
- 6563 Outlet of Lake Shetek
45 ch. wide
- 6593 Across river N m m.
Willow brush thence bottom
- 6675 Leave Willow brush for
high level bottom
- 7075 } Touch bend of outlet 5 ch. m
58 & m 8
- 7232 }
- 8000 Set Pit in mound
low to Secs 7, 8, 17, & 18
Surface almost level
Soil good & nat.
timber Ash Elm butternut
& Basswood, undergrowth
same.