

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 40 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 6 1861 190

Survey commenced Sept 3. 1861

Survey completed Sept 18 1861

P 107 m. N. 40 m.

West. Ransom bet Secs

6 & 7.

N 12° 10' E

The loc to Secs 5-6, 7, & 8
being in Lake. I commence
456th E of same at m. 6
bet Secs 5 & 8 from where
I run Right angle base of
angle with offset flog

7.00	11 1/2	}	34.37.
8.00	13 7/8		34.28
9.00	14 3/4		34.20

I take an average dist 34.30

Part of line bet 6 & 8 456

dent for Sec loc to flog 2974

2974 Leave Lake timber m. 6

30.90 Wagon trail m. 7 S.

31.00 H W Smiths house on S 18 1/2 E

15 ch dist

34.50 Leave timber

4375 Wagon trail m. 7 & 8 E

107 m N 40 W.

79.55 Set West Sdy 43 m.
 n. of Pat Sec box
 East corrected but Sec
 647.

Na 12°28'E

39.55 Set 44 Sec box
 Pat in measured

49.81 Lake Henry Set m. l.
 N oak 8 S 26 1/2 E 36
 " " 6 m 33 1/2 (W 27).

79.55 Sec box in Lake
 Surface rolling 1st set.
 timber oak on Lake.

~~North Nardum bet.
 Secs 546.~~

~~Na 12°30'E~~

~~From m. l. on East side
 of Lake bet Sec 548.~~

~~I run m 10 chs West 450 chs
 to Lake into bet 546~~