

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 6 1861 190

Survey commenced Sept 3. 1861

Survey completed Sept 18 1861

T. 107 N. R. 40 W.

meanders of Shetek  
Lake beginning at m. 6  
m. 3 on N side of Sec 6  
Thence in Sec 6.

N. 12° E

S 89° W 600  
N 87 1/2° W 198. To m. 6  
m. 4 in town line

In Sec 6.

Thence from m. 6 m. 5 in  
Town line on N side of  
Sec 6. N. 12° E

S 54 1/4° W 400  
S 70 3/4° W 250  
S 48° W 400  
S 10° W 150  
S 1° W 300  
S 24 1/2° W 200  
S 42° W 436  
S 38 1/2° E 120

S 107 m R. 40 m.

65.

S 6 1/2 E	1.50
S 44 3/4 E	2.00
S 35 1/2 E	1.50
S 28 3/4 E	1.50
S 3 E	1.25
S 11 1/2 E	1.50
S 15 1/2 E	3.00
S 24 E	2.00
S 39 3/4 E	1.25
S 25 1/4 E	3.00
S 35 3/4 E	2.00
S 33 1/4 E	2.00
S 23 1/4 E	2.50
S 16 E	2.50
S 25 1/2 E	2.50
S 65 1/2 E	1.00
m 75 1/4 E	2.00
m 72 3/4 E	3.00
m 78 E	3.00
S 88 1/2 E	2.50
S 79 E	3.50

S 107 m R 40 m.

S 88 $\frac{1}{2}$ E	3.50
S 76 $\frac{3}{4}$ E	1.50
S 67 $\frac{1}{2}$ E	2.50
S 87 $\frac{1}{2}$ E	5.00
S 45 $\frac{3}{4}$ E	3.50
S 5 E	4.50
S 39 m	3.50
S 28 m	5.00
S 17 m	4.50
S 71 m	4.00
m 44 m	3.00
m 28 m	5.50
m 74 $\frac{3}{4}$ m	2.50
S 66 $\frac{1}{2}$ m	1.25
S 41 m	2.00
S 44 $\frac{1}{4}$ m	2.50
S 30 m	4.50
S 61 m	9.50
m 84 $\frac{3}{4}$ m	2.00
m 89 $\frac{1}{2}$ m	3.50
S 83 $\frac{3}{4}$ m	1.50

P 107 m R 40 W.

W 88 1/2 m	3.00
S 82 1/2 m	2.16
S 70 m	4.00
S 26 m	2.25

Post hole  
in line bet. Ranges  
40 & 41 on W side of Sec 6

Beginning at post hole in Range  
line on W. side Sec 7 near  
line to Sec 6 & 7. thence  
in Sec 7.

No 12'

S 62 1/4 E	6.00
S 52 E	5.00
S 44 1/2 E	2.50
S 36 E	5.50
S 61 1/2 E	3.00
S 35 E	4.00
S 54 E	6.50
S 55 1/4 E	5.50
S 45 E	3.50

Q107 hr R 40 m.

S33 E	4.00	
S60 <sup>1</sup> / <sub>2</sub> E	4.00	
N784 <sup>1</sup> / <sub>2</sub> E	6.00	
N786 <sup>1</sup> / <sub>2</sub> E	7.00	
S69 E	7.00	
S22 E	4.50	
S7 <sup>1</sup> / <sub>2</sub> E	2.50	
S4 E	6.00	
S25 <sup>1</sup> / <sub>2</sub> E	10.00	
S49 N	4.50	
S82 <sup>3</sup> / <sub>4</sub> N	3.00	
S49 N	4.00	
S16 E	7.00	
S51 <sup>1</sup> / <sub>2</sub> N	5.00	at 1250 out
N763 N	12.50	
N76 N	1.50	
N76 <sup>3</sup> / <sub>4</sub> N	5.50	
N730 N	5.00	
N770 N	3.50	
N773 N	3.50	
N771 N	5.00	

P 107 m. D. 40 m.

M 6 1/2 E	7.50
M 59 E	3.50
M 46 W	2.50
M 70 W	7.50
M 62 3/4 W	8.50
M 72 W	3.00
M 67 1/2 W	2.50
M 72 1/2 W	3.50
Werk	2.00
S 68 1/2 W	1.95

Do not to  
in range line  
on W side of Sec 7.

~~Wanders of Lake Henry  
In Secs 5, 6, 7 & 8  
Beginning at h. 6 on  
north side of Lake in line  
bet Secs 5 & 6. thence  
In Sec 6. N 12° E  
M 24 W 1.50  
M 35 W 6.00~~