

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 41 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L S M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11, 1861 ~~190~~

Survey commenced Aug 7 1861

Survey completed Aug 19 1861

Y

S 107 or R 41 W

North between secs 35+36,
Var $11^{\circ} 35'$

40.00 Set 7/4 post built
mound with trench
pits, charred Stake
per instructions.

90.10 To Lake Set post at
corner of fr. sections 35+36
built mound with Pit
& like South per instruction
ascertain the distance
across Lake on line as
follows viz: Cause flag
to be set on N Bank
of Lake + in line between
secs 35+36 From corner
to said secs on South
Bank of Lake run W
3.00 chains to a point
From which point
flag bears $N 18^{\circ} 15' E$.

S 107 m R. 41 W

which gives distance across
Lake on the line between
secs 35 + 36, 9 chs + 10 lks.

79.20 Over Lake Set Post as
corner of fr. secs 35 + 36
built mound with pits
8 lks N.

80.00 Set post as corner to
secs 25, 26, 35 + 36 built
mound with trench
pits charred & stake per
instructions
Prairie rolling first rate.