

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 41 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L S M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 ~~190~~

Survey commenced Aug 7 1861

Survey completed Aug 19 1861

P 107 on R 41 W.

11

The corner to secs  
1, 2, 11 + 12 being in  
Lake I begin at corner  
to fr. secs 2 + 11, 200 chs  
W of said point run  
with

Var  $11^{\circ} 53' E$ .  
N 634 chs thence  
E 200 chs To point  
on North bank of  
Lake in line between  
sections 1 + 2.

Set temporary post  
at corner to secs  
1 + 2. from which point  
I run N on Random  
line between sections  
1 + 2.

Var  $11^{\circ} 53' E$ .  
400 Set temporary  $\frac{1}{4}$  post  
to continue line -

12 T 107 or R 41 W.

63.00 To ~~arm~~ of Lake Shetek  
Set temporary Post  
To continue line  
North I run from  
point on line between  
sections 1 + 2. 63.00 chs  
North of point the corner  
to sections 1. 2. 11 + 12  
W. 8.00 chs to a point, thence  
N 17.80 " " " " in  
North boundary of  
Township 12 links West  
Witness corner to said  
sections which stand  
9.00 chs West of point  
the corner to said sections  
From said point the  
corner to said sections  
I run.

South on a true line  
Var 12° 30' E.

S 107 or R. 41 W.

13

- 100 To Lake Set post at  
corner of fr-sections  
1 + 2. Built mound  
with pit 8 lvs North  
for instruction.
- 10.80 Over Lake. Set at  
corner of fr sections  
1 + 2. Built mound  
with pit 8 lvs South  
for instruction.
- 40.80 Set 14 post built  
mound with trench  
pit charred Stake  
for instructions
- 74.46 To Lake Sketch set  
post at corner of  
fractional sections  
1 + 2 built mound  
of stone -  
Prairie rolling 1st  
rate.

14

S 107 or R 41 W.

80.80 Section corner in Lake.