

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 41 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L S M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11, 1861 ~~190~~

Survey commenced Aug 7 1861

Survey completed Aug 19 1861

S 107 or R 41 W

31.

The point for corner to secs
27, 28, 33 + 34 being in
Lake.

Ascertain distance from
said point to point in
line between secs 27 + 28
on North bank of lake as
follows viz.

Course flag to be set in
line between secs 33 + 34
7.49 lbs South of the cor.
to said secs in lake from
point in line between secs
27 + 28 on North bank of
Lake run East 10.00 to a
point from which flag bears
S 23° 30' W gives for distance
from flag to point in line
between secs 27 + 28 on N
Edge of Lake 23.59 chs or
distance from the corner to

S 107 or R 41 W.

said secs in Lake.

15.51 Set post at corner of fr.
secs 27 + 28 from which
N. Ash. 8 S 48 or 33 lbs
By Elder 6 S 62 E 83 "

From this point, I continue
line North between secs
27 + 28, measuring distance
from point the corner to
said secs in Lake.

19.01 To arm of same Lake. Set
post at corner of fr secs
27 + 28 from which -

Elev 12 N 41 E 76 lbs dist
there being no other tree
near build mound with
pit 8 lbs South as certain
distance across lake on
line as follows N.Y.

Cause flag to be set in
lake 100 lbs North of

S 107 or R 41 W.

corner to fr. sers 27 + 28
 Which stands 19.01 chs North
 of point for corner to sers
 27, 28, 33 + 34 from point
 in line between sers 27 +
 28 on North bank of lake
 From West 8.00 chs to a
 point from which flag
 bears S 23° E which gives
 for distance from flag to
 point in line on North
 bank of lake 18.86 chs to
 which add 1.00 chs distance
 of flag North of corner. S.
 gives distance across lake
 19.86 to which 19.01 dist
 to lake gives 38.87 the dist
 on line.

38 .87 Over Lake Set post at corner
 of fr. sers 27 + 28 built
 mound with pits 8 the N-

S 107 m R 41 m

4000 Set $\frac{1}{4}$ post built mound
with trench pits charred
Stake per instructions

8000 Set post at corner to
sect 21, 22, 27 & 28.
built mound with trench
pits charred Stake per
instructions

Praxis rolling; ~~st.~~ rate.