

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 41 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L S M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 ~~190~~

Survey commenced Aug 7 1861

Survey completed Aug 19 1861

74

T 107 N R 41 W

To measure that  
 Portion of Lake Shetek  
 Situated in this  
 Township I commence  
 at the bar of fr Sec 7 & 12  
 in Range line bet.  
 Rs 40 & 41. 45.60 chs N,  
 of bar to Sec 7 & 12. 13 & 18  
 Na 11° 53' E

In Sec 12.

S 75° W	4.75 chs	
N 61 1/2° W	8.00	
N 84° W	2.50	
S 74° W	43.00	
N 50° W	10.00	at 8/12 inlet 20 lbs wide
N 5° W	4.70	
N 59° W	7.00	
N 82 1/2° W	6.00	
N 55 1/2° W	507	To bar
to fral Sec 11 & 12 55.40 chs		
north of bar to Sec 11, 12, 13 & 14		

S 107 m R 41 m.

75.

In Sec 11.

N 58° W 13.00 chs

North 5.00

East. 2.32 course to

Outlet to Lake at 30 ch  
in this course 1.35 chs

Wide

South 15.0

S 66° E 4.00

N 45° E 5.50

N 4° W 11.98 To bar of  
frail Sec 2 & 11 2.00 chs

West of point the bar  
to Secs 1, 2, 11, & 12  
in Lake

In Sec 2.

N 15° E 3.00 chs

N 26° E 3.83 To bar of fr

Secs 1 & 2 6.34 chs north of  
point the bar to said Secs in Lake

F 107 N R 41 W

Jan Dec 1.

N 130° E	5.50 chs
N 26 1/2 W	8.00
N 75° E	8.50
N 26 W	12.00
N 19° E	5.00
N 16° E	10.00
N 77 1/2 E	8.00
N 51 1/2 E	2.94
N 35 E	2.50
N 14 E	2.00
N 66 3/4 E	8.79
E cont.	10.00
S 81 E	8.00
S 67 E	6.50
S 56 E	3.50
S 39 E	3.00
S 21 E	5.00
S 25 E	4.50
S 2° E	2.50
S 15 W	4.27

S 107 m R 41 m

77

S 32 m	6.28 chs
S 6 1/2 E	2.00
S 19 E	2.50
S 13 E	3.00
S 39 E	3.57
N 53 1/2 E	6.10
N 15 W	3.50
N 60 E	11.00
N 47 1/2 W	7.00
N 14 1/2 W	13.60
N 23 1/2 E	4.70
N 19 1/2 W	2.50
N 27 W	3.13
N 41 1/2 W	4.00
N 8 E	4.50
N 3 W	10.00
N 35 1/2 W	6.06
N 36 1/4 W	2.87

To loc.  
of grad Sec 1 & 36 in  
north Bdy 18.00 chs West  
of Point for Town loc in

S 107 or R 41 W

Lake

To continue my record  
of Lake Shetek I commence  
at bar of fractional Sec  
1 & 36 in North Sdy  
of Tp. 25.50 chs West  
of Point for town bar  
in Lake & run

In Sec 1.

S 8° W 2550 chs

N 73° W 12.00 To edge of

field of John Wright

N 35° E 15.50 chs

N 10° W 1.50

N 27½° W 853 To bar of

frac Sec 1 &amp; 36 in North

Boundary of Township

35.56 chs West of point

for town

T 107 or R. 41 W.

To continue survey  
wrecker of Lake.

Sketch I commences at  
bar of road Sec 1 & 36 in  
north Boundary of Tp.  
41, 43 Chs West of point  
for Township bar I run

In Sec 1.

S 74° W 6.68 chs

S 42° W 20.50

S 15 1/2° W 18.00

S 63 1/2° W 10.00

N 18° E 9.50

N 39° E 7.50

N 75° W 5.00

N 48° W 5.00

N 29 1/4° W 3.65 To bar of  
road Sec 1 & 2 15.80 chs

South of bar to Sec 1, 2, 35 &  
36 in N Sdy of Tp.

S 107 m R 41 W

Thence I run in Sec 2  
 N 49 1/2 W 1000  
 N 9° E 850  
 S 88 3/4 E 600 To the  
 cor of frac Sec 1 & 2  
 1.00 ch South of said Sec  
 cor in north body of Op

Thence I run in Sec 1.  
 S 88 3/4 E 700 ch  
 S 25 W 450  
 S 21 E 650  
 S 15 W 350  
 S 63 E 350  
 N 36 E 950  
 N 58 W 750  
 N 64 E 700  
 N 74 1/2 E 650 To the cor  
 of frac Sec 1 & 36 in north  
 boundary of Op 58.42 ch  
 West of Point for Down cor



S 107 or R. 41 W.

To continue by meanders  
of Lake Sketch & commence  
at the cor. of frac Sec 7 & 12  
in East boundary of  
Township 25 lbs South  
of cor. to Sec 1, 6, 7, & 12  
& run into frac Sec 12  
N 71° W . 57 lbs So lbs.

Cor. of frac Sec 1 & 12  
50 lbs West of cor. to Sec  
1 & 12 in East boundary  
of Township

Thence I run in Sec 1  
N 71° W 294 chs  
N 20° E 189  
N 24<sup>3</sup>/<sub>4</sub>° E 628 To the cor  
of frac Sec 1 & 6 in East  
Boundary of Township  
8.50 chs north of cor to Sec  
1, 6, 7, & 12