

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

108 mi R 40 W.

<del>M 46 1/4 W</del>	<del>3.00</del>
<del>M 44 1/4 E</del>	<del>2.00</del>
<del>M 50 1/2 W</del>	<del>2.20</del>
<del>M 61 1/4 W</del>	<del>8.22</del>
<del>S 43 W</del>	<del>2.20</del>
<del>S 57 1/4 W</del>	<del>3.80</del>

~~To make  
in range line on W side  
of island~~

Recorder of West Side  
of Lake Shetek & Outlet  
Beginning at recorded  
loc on W side of Lake  
in range line on W  
Side Sec 31.

In Sec 31

Na 12° E

M 65 1/2 E	4.50
M 35 1/2 E	5.00
M 26 1/4 W	3.80
M 23 1/4 E	7.00

102

P 108 m R 40 m

M58<sup>3</sup>/<sub>4</sub> E 6.50  
 M38 M 4.00  
 M34 E 4.64 Po made  
 in line bet Dec 30 & 31.

---

In Dec 30

M43 E 6.00  
 M19<sup>1</sup>/<sub>2</sub> M 9.00  
 M20<sup>1</sup>/<sub>4</sub> E 18.50  
 M14 M 8.50  
 M10<sup>1</sup>/<sub>2</sub> E 6.50  
 M37 M 5.00  
 Mirth 3.00  
 M23 E 16.00  
 M37<sup>1</sup>/<sub>2</sub> E 7.00  
 M65 E 4.00  
 M81<sup>3</sup>/<sub>4</sub> E 4.50  
 M35<sup>1</sup>/<sub>2</sub> M 6.90 Po made  
 in line bet Dec 19 & 30

P 108 m R 40 W

103

In Sec 19.

Na 12°30' E  
about 400 ch  
M 46 1/4 W 650 mouth of inlet  
thence Right bank  
up stream

M 24 W 550

M 35 W 2100

M 15 W 900

M 50 E 1000

M 844 E 450

M 47 W 1200

M 75 W 1190 P m b.

in Range line on S

Side of inlet

~~breadth of mouth~~

~~Part of a part in Sec 31  
Beginning at P m b. in  
Town line on West Side  
of Pond on S Side Sec 31  
thence as follows~~