

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 8 1861 1861

Survey commenced Sept 20th 1861

Survey completed Oct 9th 1861

St 108 m R 40 m.

13.

East Randome bet Sec
26 & 35.

Na 11° 35' E

- 1.00 Enter branch br. NW & SE
5.00 Paid br. ESE & (NW) NW
15.50 Leave Paid br. SW at 46 ch
E m E
23.85 Right angle br. 4 chs flog in line E br
18° 14' dist 1179 ch
Right angle base 5 chs flog
in line E br 23' dist 1175
dist to flog - 1175 ch
24.60 Enter Sup br. SSE & NW
35.60 Leave " flog br. SSE at 15 chs NW
36.50 Leave branch br. SSE & NW
40.00 Temp 44 Sec bar.
41.00 branch br. SW & NE
45.00 Leave " NW & S
58.50 branch SW & NE
62.00 Leave " " " "
80.60 Dist over Sec line 11 ch. S.

P 108 m R 40 m

of Sec.
West corrected bet Secs
26 & 35.

N 11° 40' E

40.30 Set 44 Sec Cor.

Pat in measured

80.60 Cor to Secs 26 27 34 & 35.

Rolling 2 rate Prime

~~North bet Secs 26 & 27.~~

~~On 11° 30' E~~

~~100 branch m W & S E~~

~~150 Offset 3 chs flog in line~~

~~on m 11 1/4 E dist to flog 14.73 chs~~

~~offset W 4 chs flog in line~~

~~on m 15 1/4 E dist to flog 14.68 chs~~

~~offset W 5 chs flog in line on m 18 1/2 E~~

~~dist to flog 14.75 chs~~

~~Stack as average dist 14.70 chs~~

~~250 Pond m W & S E~~

~~1500 Leave Pond on S E & m W~~