

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 8 1861 1861

Survey commenced Sept 20th 1861

Survey completed Oct 9th 1861

S 108 m N. 40 W.

angle with flog m. in
line 7 $\frac{3}{4}$ ' dist 36.75 chs

Right angle base 8 chs

angle with flog m. in
line 12 $\frac{1}{4}$ ' dist 36.80 chs

Right angle base 9 chs

angle with flog m. in
line 13 $\frac{3}{4}$ ' dist 36.78 chs

Average dist to flog 36.75

6000 locs to Secs 21, 22, 27 & 28
in Lake

97.97 Flog.

Surface hilly Soil with
timber Br Oak Aspen
& Ash

From loc of Secs 22, 23
26 & 27. I run

West on true line bet
Secs 22 & 27

Na 11' 35" E

S 108 m N 40 m.

- 4000 Set 44 See loc.
- Pat in measured
- 4650 Enter narrow lake bottom
- 4750 Foot of Lake Washburne
- Set measured loc
- Pat in measured
- Pts 8 ch. E offset South
- 5 ch. W. 10 ch. N. 5 ch.
- into line
- 5750 Leave lake set no. 6
- Pat in measured
- Pts 8 ch. West
- 5850 Leave bottom for no. 4 &
- 6750 Brush & grove
- 6830 Lake Washburne
- Set measured loc Pat
- Ash 5 S 37 1/2 E 16
- Elm 6 N 84 1/2 E 46
- Locate trees 21 22 27 & 28
- in Lake
- Surface level 2 into.