

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

P 108 or R 40 W.

~~Timber along Lake  
Pr Oak Ash Elm &  
Satterwood Gum & fls~~

From the low to Secs

28, 29, 32, & 33

I run

West on true line bet.

Secs 29 & 32

N 12° E

- 3.50 Enter cane woods  
by N thence N 8° from S E
- 8.50 Leave same SSW to Slough  
Extends N 42° S 1200 ch
- 12.50 Hay meadow by NW S W  
to Lake & W
- 20.50 Leave meadow N S W & E 400
- 27.00 Lake Sketch Set meadow  
low Put
- Ash 4 N 8 42 E 17 lbs  
Pr Oak 14 S 67 E 80 "

S 108 m N. 40 m.

53.

Surface falling bar  
2 sets. timber. No oak  
Cottonwood & alder

From bar to Sec 20 & 21  
28 & 29

& more

West on tree line bet  
Sec 20 & 29.

Na 11' 45" E

.75 Road N m m & E S E

22.64 Bloody Lake low banks &  
Set pressure bar Pat  
Stone measured

No Oak 16 S 51 1/2° E 7 ch

Right angle base 7 ch

angle with flog west in

line 10° 7 1/2' dist 39 20 ch

Right angle base 8 ch

angle with flog N in

line 11 1/2° dist 39 32 ch