

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

T 108 hr R 40 W.

55

Line bet Sec 29 & 30  
Pine woods bar  
on E side of Lake Shetek  
in line bet Sec 20 & 29  
I run by offset South  
16.93 and West 18.30 chs  
into line bet Sec 29 & 30

---

South on true line bet  
Sec 29 & 30.

Na 11.50'E

15.93 Leave Lake Set woods  
bar Pat to find Sec 29 & 30

On Oak 16 S 16 1/2 E 17 chs

" " 7 S 50 1/2 W 56 "

Enter timber

19.50 Enter W Part of woods  
abt 12 chs in diam

28.50 Leave same for timber

34.56 Ash 18 ins diam line tree

40.00 Set 44 Sec bar Pat

P 108 m N 40 W.

Elev 5 m 60<sup>3</sup>/<sub>4</sub> W 28 m

" 14 S 8 E 16 "

4050 West Part of mound on  
E m E about 3 ch

4350 Leave same on W 100 m  
V E m E

4586 Lake Sketch Set mound  
Loc to from Secs 29 & 30.

Dr Cook 12 m 47 E 53 m

Elev 4 m 15<sup>1</sup>/<sub>2</sub> W 37 "

Loc to Secs 29, 30, 31, & 32

in Lake

Gravel level Soil 1<sup>st</sup> cut  
timber Elev Ark

Dr Oak Hackberry

Some under brush

Oct 5<sup>th</sup>