

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

80

P 108 m R 40 m.

meanders of Round  
LakeBeginning at meander  
box on South Side of  
Lake in line bet Secs  
20 & 21.

In Sec 21

M 58 1/2 E	7.00
M 46 1/2 E	3.80
M 26 1/4 E	1.90

To meander on  
East Side of Lake  
in line bet Secs 16 & 21

In Sec 16.

M 23 1/2 E	7.50
M 139 E	6.50
M 48 E	3.00
M 40 1/4 E	2.00
M 19 1/4 E	5.00
North.	6.00
M 55 E	2.00

108 m 240 m.

81

m 6 1/2 W 4.00

m 4 1/4 W 7.50

m 7 6/2 W 5.00

S 49 W 5.80

S 8 1/2 W 3.86

S 78 W 2.00

m 83 W 6.50 To m 6

on m. side of Gate

in line between 16 & 17

Dec 17.

m 83 W 4.00

S 83 3/4 W 7.00

S 74 1/4 W 9.00

S 85 1/2 W 10.00

m 164 W 2.75

S 16 W 4.50

S 24 1/2 W 5.50

S 2 1/2 E 7.00

S 33 3/4 E 3.50

S 57 E 4.50

S 108 m N 40 m

S 78 1/2 E 8.00  
 S 9 E 1.50  
 S 8 W 3.60 Point to on  
 West side of Lake  
 in line bet Sec 17 & 20.

On Sec 20.

S 44 1/2 E 3.50  
 S 15 1/2 E 4.00  
 S 45 1/2 E 2.50  
 S 76 3/4 E 7.00  
 N 88 1/2 E 6.50  
 N 76 1/4 E 4.00  
 N 67 E 1.96 Point to  
 on South side of Lake in  
 line bet Sec 20 & 21.  
 Place of beginning