

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

S 108 m R 40 m.

93

~~1774 m. 260 P m. b.  
on S. Side of Lake  
Place of beginning~~

Measure of Lake Sketch.

Beginning at m. b.

m. 1. in line bet Sec 6431

bet Spr 107 & 108. R 40 m

In Sec 31.

1161 1/2 E	350	
1178 1/2 E	400	
1165 3/4 E	400	
1182 1/2 E	200	
12180 E	200	
1168 1/4 E	550	
1177 1/4 E	585	P m. b.

m. 2. in Town

line on S Side of Sec 31.

94

P 108 m N 40 W.

In Sec 31.

From north to south in  
Down line on S Side Sec 31

M176	8	10.00
M169 1/2	8	12.00
M163	8	6.00
M157 1/2	8	2.25

to hub  
on South Side  
of Lake in line bet Sec  
31 & 32

In Sec 32

M154	8	2.00
M151	8	2.50
M143 1/2	8	3.00
M139 1/2	8	4.00
M138 1/2	8	2.50
M152 1/2	8	2.00
M166 3/4	8	4.50
M170 1/2	8	10.00
M155 3/4	8	2.50

P 108 m R 40 m.

95.

M 81 1/2 E	4.00
M 86 1/2 E	5.50
S 86 3/4 E	3.00
S 89 1/2 E	3.00
M 73 1/4 E	2.50
M 43 E	1.00
M 30 1/2 E	13.00
M 18 1/4 E	11.00
North	9.00
M 22 W	7.00
M 38 W	6.00
M 61 W	2.50

Do not  
include but see 29 & 32

In Sec 29.

M 61 W	2.50
M 78 1/2 W	3.00
M 46 1/2 W	3.00
M 59 1/4 W	4.00
M 78 1/2 W	5.50
M 61 1/2 W	4.00

## S 108 R 2 R 40 W

M 60 1/2 W	7.00
M 75 W	5.50
M 72 3/4 W	3.00
S 70 1/4 W	3.50
S 31 3/4 W	2.75
M 57 1/2 W	2.50
M 33 1/4 W	3.00
North	7.50
M 28 3/4 W	4.00
M 19 W	2.50
M 34 3/4 W	2.50
M 50 1/2 W	3.00
M 58 W	3.18
M 01 in line between 29 & 30	0.00

In Dec 30

M 33 1/4 W	3.00
M 16 1/2 W	3.00
M 10 W	2.00
M 4 E	3.50
M 10 W	3.00

N 108 m R 40 m

97.

M 27 1/2 W	2.30
M 16 E	7.50
M 13 1/4 E	5.00
M 5 3/4 W	1.00
M 56 E	147 P. m. b.
m 2 in line bet seen 29 & 30	

Dec 29.

M 54 1/4 E	2.00
M 50 1/4 E	3.00
M 40 1/2 E	2.50
M 28 E	5.00
M 16 1/4 E	4.00
M 25 1/2 E	2.86 P. m. b.
on East Side of Lake.	
in line bet seen 20 & 29	

P 108 m R 40 m.

Sun Dec 20

M 15 1/2 E 3.50

M 16 1/2 W 2.00

M 13 3/4 W 6.00

M 15 1/2 W 9.23 P o m b.

on north side of Lake  
bet Dec 19 & 20.

Sun Dec 19.

M 7 1/2 W 10.00

S 77 W 2.50

S 38 1/2 W 4.50

S 87 3/4 W 10.00

S 80 W 18.00

S 58 1/4 W 6.00

M 30 W 8.50

M 156 1/2 W 9.84

M north 7.00

M 24 3/4 W 2.27

M 19 1/2 E 6.00

M 18 E 10.00

P 108 m R 40 m

99.

216° m 7.00

2163<sup>1</sup>/<sub>2</sub> m 11.00

2139<sup>1</sup>/<sub>4</sub> m 5.50

2177 m 4.00

2140<sup>1</sup>/<sub>2</sub> m 3.00

219 m 5.00

2140 m 5.75 Points  
in Range line on west.

Side of inlet

~~Remains of Foot of Inlet  
Gate Beginning at  
Remains bar in Range  
line on West Side Secs  
15. There as follows.~~

~~In Sec 18.~~

~~(Va 12-308)~~

~~S 76<sup>3</sup>/<sub>4</sub> E 3.50~~

~~S 46<sup>1</sup>/<sub>2</sub> E 3.12~~

~~South 2.00 Points to Side  
in line bet Secs 18 & 19.~~