

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L B M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

T 108 m R 41 W

North bet Secs 13 & 14

Na 11° 50' E

4000 Set 44 Sec Pat built  
around pits trench  
Pits charred stake  
per instructions

5700 To arm of Lake sketch  
Set Pat at low of pool  
Secs 13 & 14 built  
around Pits 8 yds South  
Ascertain dist across  
Lake on line as follows  
Cause a flag to be set  
at low of pool Secs 13 & 14  
on S.W. bank of arm  
of Lake from a Point  
in line bet Secs 13 &  
14 on N.E. bank of  
Lake I run E 800 ch  
to a Point from which  
flag on S.W. bank

C 108 m R 41 W.

11

of Lake brs S 28'45' W  
which gives for dist  
across Lake on line  
21,12 chs to which  
add 57,00 chs dist on  
line to flag 78,12

78,12 Over arm of lake  
Set Pat at low of fresh  
Secs 13 & 14 built  
mound with Pit 8 ft.  
width per instruction

8000 Set Pat at low to Secs  
11, 12, 13, & 14 built  
mound with trench  
Pits chopped stake  
per instruction

Prove South of Lake  
1<sup>st</sup> cut Prove 2<sup>nd</sup> of  
Lake flat 2 cuts.