

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

T 108 or R 41 W.

35.

North bet Secs 21 & 22  
Ta 12° 5' E

9.50 level 8th side run 58  
35.29 To Lake made bar  
to face Sec 21 & 22 of  
a W Oak 8 in diam  
Rolling Prairie  
1st rate.

---

Ascertain dist across  
Lake on line as follows  
Cause a flog to be set  
at bar of face Sec 21 & 22  
on South bank of Lake  
from point in line on  
North bank of Lake  
I run East 1392 ch  
to a point from which  
the flog on South  
bank of Lake be  
S 8° 30' W which gives

S 108 m R 41 W

for dirt across Lake  
on line 93, 17 ch on  
dirt from the low to  
Secs 15, 16, 21, & 22  
48, 46 ch Set Pol.  
on north bank of  
Lake on line bet Secs  
15 & 16 as low to  
fr Secs 15 & 16

from which  
W oak 6 S 47° E 28 ch  
" " 8 S 73° W 12 "  
north bet Secs 15 & 16  
Na 11° 45' E

Recovery dirt from  
point low to Secs  
15, 16, 21 & 22 in Lake  
8000 Set Pol at low to Secs  
9, 10, 15, & 16 built  
measured with  
pits trench chored

S 108 m R 41 W.

37.

Stake per instruction  
Rolling Prairie  
1st rate.

~~East Ransom bet.  
Secs 10 & 15.~~

~~Na 11° 55' E~~

~~2400 Met branch by NW & S.~~

~~3350 Leave~~

~~4000 Set temp 44 Sec Pat~~

~~8050 Go a Point 23 W. m. of  
bcv to Secs 10, 11, 14 & 15  
West on true line~~

~~Na 11° 45' E~~

~~4025 Set 44 Sec Pat built  
resound with trench  
Pits charred stake~~

~~per instruction~~

~~8050 bcv to Secs 9, 10, 15 & 16~~

~~Rolling Prairie 1st rate~~