

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

T 108 or R 41 W

North bet Secs 16 & 17.

Na 11° 35' E

5.00 To Point of Lake Set  
Pat at loc of pr Secs 16 & 17  
built mound with  
Pit 8 ch. South per  
instruction

To continue line north  
I offset from loc South  
of Point of Lake West  
200 ch. to a Point thence  
N 40° ch. to a Point  
thence E 200 ch. to a  
Point in line bet  
Secs 16 & 17. on NW  
bank of Point of Lake

9.00 Over Point of Lake  
& Set Pat at loc of pr  
Secs 16 & 17 built  
mound with Pit  
8 ch. N. per instruction

S 10 8 m R 41 W.

47.

from this bar & continue  
north.

2660 Do Lake Set Put at bar  
of fractional Secs 16 & 17.

from which

W Oak 8 m 87' & 129 m

ascertain dirt across  
Lake on line as follows  
I run from bar of fr  
Secs 16 & 17, on South  
bank of Lake W 600 chs  
& set flag from point  
in line bet Secs 16 & 17  
on N W bank of Lake  
flag be S 14° W which  
gives fr dirt across

Lake on line 24,06 chs  
to which add 26,60 chs

dirt to lake gives 50,66 chs

50.66 Over Lake Set Put at  
bar of fractional Secs 16 & 17

S 108 m R 41 m

from which

W ash 10 m 69° W 27 ft

bottomwood 9 m 30° E 33 "

from this low &

entire line north

57.24 To Lake Set Post at

low of fall Secs 16 & 17

from which

W ash 10 S 26° W 54 ft

Elm 12 m 89 E 18 "

Ascertain dist across

Lake on line as follows

course floy to be set

at low of fr Secs 16 & 17

51.24 chs north of low

to Secs 16, 17, 20, & 21

from point in line

bet Secs 8 & 9 on N m

bank of Lake I run

West 5.25 chs to a

Point from which

P 108 or R 41 W.

49

flag South of Lake br  
S 9.15' E. which gives  
for dist across Lake  
32.26 chs or 3.50 chs or  
of the bar to Secs 8, 9  
16 & 17.

Set Pat. at bar of pond  
Secs 8 & 9. built  
measured with Pat  
& the north.

~~The Point for bar to  
Secs 8, 9, 16 & 17 being  
in Lake I begin at  
bar of pond Secs 8 & 9  
3.50 chs north of said  
Point & run north  
on line bet Secs 8 & 9  
5.50 chs to a Point  
thence S 8.07 chs to a  
Point thence 9.00 chs to~~