

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L B M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

P 108 mi R 41 W.

7.

East Random bet.
Secs 13 & 24

Na 11° 55' E

40.00 Set temp 1/4 Pat

45.00 To arm of Lake Shetek
& Set temp rec. b.

Ascertain by closing
as follows locate
flag to be set at bar
to Secs 13, 18, 19, & 24 on
East Bdy of Op. by
moving compass
to a Point in line
due West of flag I
found that if the E.
Random line be
continued across Lake
it will intersect E.
Bdy 7 lks South of bar
to Secs 13, 18, 19, & 24
I thence run north

P 108 m R 41 W

from a Point $3\frac{1}{2}$ lks
 m. of temp 44 Pak.
 7,36 chs to a Point
 from which the flag
 on E side of Lake
 br $S79^{\circ}45' E$ which
 gives fr dist from
 flag to the Point in
 line bet Secs 13 & 24
 40,70 chs to which
 add 4,000 chs dist
 to said Point from
 cor to Secs 13, 14, 23, & 24
 makes the length of
 line bet Secs 13 & 24
 80,70

I then drove around
 Pak on West bank of
 Lake north 4 lks
 built around with
 Pit 8 lks W.

9.
S 108 m. R 41 W.

From this bar I run
West on a true line
recomming distance
from bar to Secs 13, 18
19 & 24 in E. Bdy
of Sp.

Na 11° 58' E.

4035 Set 44 Pat built
measured with trench
Pits charred Stake
Per instruction

8070 bar to Secs 13, 14, 23
& 24.

Prains on W Part
of mile Pulling
1st rate

Sept 18.