

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L B M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

70

S 108 m R 41 W

~~per instruction
75.10 low to Secs 7, 8, 17 & 18
High Rolling
Prairie 2 rods.~~

mouth bet Secs 7 & 8
Va 11' 30" E

28.50 Dry Creek bed for 118 & 5 W

4000 Set 44 Sec Pat built
measured with trends
Pit charred stake per
instruction

4104 To Lake Set Pat at low
of pond Sec 7 & 8. built
measured of stone
Ascertain dist across
Lake on line as follows
From low of p Secs
7 & 8. on S W bank of
Lake I run W 10.42 ch
Set a flog from point

108 mi. R 41 M.

71

in line bet Secs 7 & 8 on
n & bank of Lake
fleg br. S 25° 45' W
which gives for dist
across lake on line
2,160 chs. to which
add 41,04 chs dist
to lake gives 62,64 chs

62,64 Area Lake Set Pat for
lvs to frac Secs 7 & 8.

from which
Willow 6" S 47° W 23 chs.
from this lvs & entire
line north.

62,70 Cottonwood 36 in diam

76,64 So Point of Lake Set
Pat at lvs to frac Secs
7 & 8 built measured
with Pat & lvs South
per instruction.
Prise 2 sets.