

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

P 108 or R 41 M

~~200 chs E. of Point
 loc to Secs 5 6 7 & 8
 Pulling Point 1st cuts~~

To Run Random West
 bet Secs 6 & 7.

I ascertain dit across
 Lake from point the
 loc to Secs 5, 6, 7 & 8

as follows,

Case flag to be set
 at loc. of fr Secs 5 & 8.

200 chs E of said point
 from point in line
 bet Secs 6 & 7. West of
 Lake I run S 800 chs
 to a point from which
 flag on E bank of
 Lake br $273^{\circ} 13' E$
 which gives fr
 dit from flag to

P 108 on R. 41 W.

75.

Point in line where
I start to run South
2658 chs from which
take 200 chs dist of
flag East of Point the
course to Said Sec in
Lake gives 2458 chs
dist from bar to Sec
in Lake to Point in
line where I start
to run South. Said
point is 300 chs N. of
bank of lake making
distance across lake on
line 2158 chs
from the Said Point
in line where I start
to run South I continue
line West recovering
dist from point the
bar to Sec 5, 6, 7, & 8

P 108 m R 41 W

Na 10.40' E

4000 Set trench 44 Sec Pat
 75.88 To a Point in the W.
 Bdy of township 4 lts
 north of lvs to Secs
 1, 6, 7, 8, 12
 East on true line

Na 10.42' E

35.88 Set 44 Sec Pat built
 around with trench
 Pits chased stake
 per instruction

54.30 To Lake Set Pat at
 lvs of p Secs 6 & 7.
 built around pit
 8 lts west

Rolling Row
 1st rate