

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 41 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L B M Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11, 1861 190

Survey commenced Sept 17 1861

Survey completed Sept 28 1861

S 108 mi. R 41 M.

95.

meander of Lake in  
Secs 8, 9, 16, 17, 21 & 22  
commence at bar of  
fr Secs 8 & 17. 1.00 chs  
West of Point fr bar  
to Secs 8, 9, 16, & 17

N a 11° 40' E

In Sec 8.

M 15<sup>3</sup>/<sub>4</sub>° E 3.65 To bar of fr  
Secs 8 & 9. 3.50 chs W of  
Point fr bar to Secs 8,  
9, 16 & 17

In Sec 9.

M 36<sup>1</sup>/<sub>2</sub>° E 5.50  
S 61° E 4.00  
S 12<sup>1</sup>/<sub>4</sub>° E 6.15 To bar of  
fr Secs 9 & 16 8.07 chs E  
of Point of bar to Secs  
8, 9, 16, & 17

S 108 m R 41 W.

In Sec 16.

S 25° E 2.00

S 73 E 12.00

S 44 E 7.50

S 9 W 3.43

S 73 W 6.00

S 67 W 7.00

N 83 W 3.00

S 44 W 10.50

S 56 W 1.70

S 30<sup>3</sup>/<sub>4</sub> W 2.55 P<sup>o</sup> bar offr Secs 16 & 17 51.20 ch<sup>s</sup>N<sup>o</sup> of bar to Secs 16, 17

20 &amp; 21.

In Sec 17

S 49° W 4.00

S 18 E 1.89

N 32<sup>1</sup>/<sub>2</sub> E 4.50 P<sup>o</sup> bar of frSecs 16 & 17, 50.63 ch<sup>s</sup> N<sup>o</sup> of bar

to Secs 16, 17, 20 &amp; 21

108 m R 41 m.

97

In See 16

M 49° E	8.50
M 62 E	8.00
M 69 E	14.20
Cart	11.00
M 81 E	7.00
M 87 1/2 E	12.27
S 63 E	11.50
S 50 E	3.00
S 47 E	5.00
S 35 E	5.00
S 42 E	2.50
S 55 1/4 E	3.27

To the bus  
of p. Secs 15 & 16 4846 chs  
m. of Paint for bus to Sec  
15 16. 21.8. 22

In See 15.

S 68° E	3.50
S 59 E	6.00
S 40 E	4.00

98

P 108 m R 41 m

S 26° E	3.50
S 12 E	4.50
S 7 1/2 E	3.50
S 8° W	3.20
S 12 E	2.60
S 78 E	1.50
S 71 E	3.20
S 37 E	4.50
N 146 E	3.00
S 75 E	6.50
N 167 E	3.00
S 84 E	6.00
S 64 E	4.00
S 47 E	5.00
S 25 E	4.00
Sautts	4.00
S 45 W	1.96
S 27 W	2.00
S 2° E	2.00
S 44 E	2.10
S 24 E	1.05

P. bar of p

S 108 m R 41 W.

99.

Secs 15 & 22 33, 27 chs (W.  
of line to Sec 14 15, 22, & 23

---

In Sec 22.

S 25° E .90

m 47 E 1.15 To line of fr.

Secs 15 & 22 32, 03 chs (W.  
of line to Secs 14 15, 22, & 23

---

In Sec 15.

m 31' E 5.00

m 65 E 6.00

S 87 E 4.00

S 58 1/2 E 9.00

S 44 1/2 E 2.65 To line of

fr Secs 15 & 22 10, 40 chs (W.  
of line to Secs 14, 15, 22 & 23

---

In Sec 22

S 33° E 6.50

S 8° E 7.50

P 108 m R 41 m

S 10° W	9.00	
S 26 W	11.50	
S 37 W	11.00	
S 43 W	3.00	
S 74 W	3.70	
S 76 W	11.00	
S 73 W	14.50	
S 84 W	4.00	
N 74 W	5.50	
N 53 W	10.24	
S 82 W	11.50	
N 65 <sup>3</sup> / <sub>4</sub> W	2.96	To the base
of fr. Secs 21 & 22.	35.29 chs	
N. of base to Secs 21, 22, 27, & 28		

Sec Sec 21.

N 70° W	3.50	cutler 3.20 chs
N 76 W	6.87	on the cause 70. lbs Weds
N 40 <sup>1</sup> / <sub>2</sub> W	3.00	
N 21 W	4.50	
N 58 W	5.40	

S 108 m R 41 m

101

S 83° m	5.50	
S 29 m	2.00	
S 73 m	7.00	
S 86 m	5.00	
m 86 m	7.00	
m 49 m	3.00	
m 30 m	2.80	
m 15 E	3.50	
m 30 m	4.00	
m 45 m	3.50	
m 19 m	4.00	
m 7° m	5.00	
m 27 m	1.50	
m 18 E	4.80	
m 56 E	3.00	
m 83 m	3.00	
m 31 m	2.67	
m 24 E	3.91	To the bar of
fract Secs 16 & 21 28 chs		
E. of bar to Secs 16, 17		
20 & 21.		



S 108 m R 41 m

In Sec 16

N 24° E	6.00	
S 77 W	19.00	
N 79 W	3.30	
N 61 W	3.20	
N 72 1/2 W	3.78	To low of
for Secs 16 & 17. 5 chs m of		
low to Secs 16, 17, 20 & 21		

In Sec 17

N 25° W	3.00	
N 45 1/4 E	1.80	To low of
Secs 16 & 17. 9 chs m of low		
to Secs 16, 17, 20 & 21		

In Sec 16

N 59° E	1.30	
N 6° E	7.30	
N 10 W	2.50	
N 7° E	6.00	
N 48 W	1.60	

108 m R 41 m.

m 78 1/2 m 127. To low of fr.  
See 16 & 17. 2660 chs m, of  
low to See 16, 17, 20 & 21

In Dec 17.

m 78 1/2 m	4.34
m 43 m	5.50
m 28 m	3.00
m 15 m	10.00
m 26 E	7.50
m 42 m	4.00
S 62 m	7.00
m 10 m	3.50
m 36 E	12.00
m 59 E	5.00
m 28 E	10.50
m 1194 E	4.43 To the Place of beginning