

FIELD NOTES  
OF THE SURVEY OF THE  
SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 43 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

J. W. Bishop

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated May 26 1866

Survey commenced Aug 20 1866

Survey completed " 28 1866

T 108 m R 43 W

North between sections 1 & 2  
Var  $11.30^{\circ}E$ .

5.00 S.E. margin of an irregular  
marshy lake, area about 50  
acres, is mostly in section  
2. offset 5 chs to East & pass  
it returning to line at  
24.00 on N.E. margin of same  
Lake on a point of land  
blending into it.

28.00 S margin of a bay of same  
lake From 24.00 I run East  
5 chs to a point whence a  
flag in line on the North  
side of Lake bears  $N. 15.55^{\circ}W$   
giving distance to flag 18.55 chs.  
From the flag I measure  
South 2.55 chs to the North  
margin of the Lake where  
I set at.

40.00 a post in mound for

S 108 N R 43 W.

15

$\frac{1}{4}$  section corner.

The lake extends into sec  
1 about 10 chs.

61.00 South margin of a marshy  
pond area about 25 acres  
lies mostly in section 1  
offset N. 7 chs and pass it

68.00 Return to line at N margin  
of pond.

79.66 Intersect the 2<sup>nd</sup> Standard  
Parallel and set post in  
ground for closing corner to  
sec 1 & 2 From which corner  
I run West along 2<sup>nd</sup> Standard  
Parallel

Var  $10^{\circ} 45' E$

14.10 To the  $\frac{1}{4}$  section corner in the  
South boundary of sec 36 T.  
109 N Range 43 W. Land rolling  
prairie, soil good E  $\frac{1}{2}$  of S.E  $\frac{1}{4}$   
sec 2 is swamp land.