

FIELD NOTES
OF THE SURVEY OF THE
SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 43 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

J. W. Bishop

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated May 26 1866

Survey commenced Aug 20 1866

Survey completed " 28 1866

42

T 108 m R 43 W

Meander notes of a Lake
in sections 21, 22, 27 & 28.

From the meander corner
on the South Shore of Lake
between sections 27 & 28,

I run in sec 28.

Var $11^{\circ} 45' E$

N $80\frac{1}{2}^{\circ} W$ 10.00 chs

N $16^{\circ} W$ 10.00 "

N $4\frac{1}{4}^{\circ} E$ 3.00 "

N $43\frac{3}{4}^{\circ} W$ 5.90 " to the
meander cor. on West shore of
the Lake between fractional
sections 21 & 28, which corner
was established 63.00 chs
East of the corner to sections
20, 21, 28 & 29, and is (mean
distance by the meander
notes in sec. 21 & 28.) 16.30
chs. W of the corner to secs
21, 22, 27 & 28. Then in sec. 21

S 108 m R 48 m.

43.

N 43 $\frac{3}{4}$ W 6.00 chs

N 14 W 5.00 "

N 22 $\frac{1}{4}$ E 16.00 "

N 12 E 6.00 "

N 34 W 7.00 "

N 42 E 8.00 "

N 88 $\frac{1}{4}$ E 8.00 "

S 24 $\frac{3}{4}$ W 5.00 "

S 59 $\frac{3}{4}$ W 3.00 "

S 23 $\frac{1}{2}$ E 12.00 "

S 77 $\frac{1}{2}$ E 4.73 To the meander

corner on North Shore

between sections 21 & 22 +

23.64 chs north of the true

corner to sections 21, 22, 27, 28

Thence in sec 22.

S 77 $\frac{1}{2}$ E 14.00 chs

S 60 E 21.00 "

S 40 E 13.30 "

Meander corner between fractional
sections 22 & 27 on a narrow

44

P 108 m R 43 W.

neck dividing the Lake from
a marshy pond East of it,
and 40. chs. West of corner
to sections 22, 23, 26 & 27.

Thence in section 27.

S 40 $\frac{1}{2}$ W	20.00	chs	
N 89 W	12.00	"	
S 83 W	12.00	"	
S 66 $\frac{1}{2}$ W	3.80	"	To the

meander corner on South
Shore, the point of be-
ginning

The Lake has gravel shores,
had water and no
Timber.

August 24th 1866.