

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 106 North, Range No. 41 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11 1861 ~~190~~

Survey commenced July 31 1861

Survey completed Aug 6 1861

S 106 hr R 41 NW.

North Random between  
secs 2 + 3.

Var  $12^{\circ} 26'$  East

645 Beaver Creek 6 ft bank  
Gravel bottom runs  
N.E.

1409 Beaver Creek Gravel  
bottom 4 feet bank  
runs S.W.

2300 Beaver Creek 5-foot  
banks Gravel bottom  
runs  $N 10^{\circ} E$ .

4000 Set temporary 1/4 post

8050 To point in North  
boundary of Township  
18 lbs East of corner  
to sections 2, 3, 34 + 35  
From which corner I  
run

South on a true line

Var  $12^{\circ} 34'$  E.

S 106 m R 41 m.

4050 Set 44 post built  
 mound with trench  
 pits charred Stake  
 per instructions

8050 To corner to sections

2. 3. 10 + 11.

Rolling prairie, st  
 rate.