

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 42 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11 1861 190

Survey commenced Aug 20th 1861

Survey completed Sept 3 1861

P 107 m R 42 W

The Point for loc to
 Secs 2, 3, 10 & 11 being
 in Lake I begin at
 loc to for Secs 10 & 11.
 2.50 ch. South of said
 Point & run with

N $11^{\circ} 35' E$

East 7.00 ch. to a Point then
 north 2.50 " " " in
 line bet Secs 2 & 11 &
 set temp Pat. from
 this point I run
 East bet Secs 2 & 11.

Recovering dirt from
 said loc to Secs in Lake
 15.00 Small Pond by 15 & 8
 To continue line I
 run north 7.00 to
 a Point then
 East 12.50 to a Point
 then South 7.00 to a

C 107 on R. 42 W.

25.

Point in line bet
Secs 2 & 11. E of Pond
by m & b.

Thence I run East on
said line

40.00 Set temp 44 Pat.

57.00 To Lake Set temp Pat.

To continue line East

I run S 5.00 to a Point
thence E 8.50 " " "

" m 5.00 " " "

in line bet Secs 2 & 11 East
bank of Lake & Set temp
Pat

79.85 To Point 24 the north
of low to Secs 1, 2, 11, & 12
From which low I run
West true line

Na $11^{\circ} 25' E$

14.35 To Lake Set Pat at low
to pt Secs 2 & 11. built

26.

S 107 m R 42 W.

measured with Pits
& Mr. E. per instruction

22.85 One Lake Set Pat at
bar of fr Secs 2 & 11.
built measured with
Pits & Mr. East per
instruction

39.92 $\frac{1}{2}$ Set 44 Pat. built
measured with
trunk Pits charred
Stake

72.85 Do Lake Set Pat at bar
of fr Secs 2 & 11
built measured with
pits & Mr. East

79.85 bar in Lake

Aug 23.