

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 42 West

OF THE

5^d Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11 1861 190

Survey commenced Aug 20th 1861

Survey completed Sept 3 1861

T 107 or R 42 W.

27.

The line north bet.
Secs 2 & 3. will reach
Lake in less than 8000 ch.
I therefore run a true line

north bet Secs 2 & 3.

($N 11^{\circ} 10' E$)

Ascertain dist across
Lake on line as follows
Course flag to be set at
Cor of pr Secs 10 & 11. 2500 ch
South of point for line
to Secs 2, 3, 10 & 11 and
from point in line
bet Secs 2 & 3. on N bank
of Lake I run $N 5^{\circ} 00' ch$
to a Point from which
flag be $S 13^{\circ} 15' E$ which
gives for dist across
lake on line bet Secs
2 & 3. 21,24 ch or dist.

P 107 or R 42 W

- from point the bar to
 Secs 2, 3, 10, & 11, 1874 chs
 1874 Over Lake Set Pat. at
 low of fr Secs 2 & 3 built
 mound with Pts 8 lbs
 north per instrument
 4000 Set 44 Pat built
 mound with trends
 Pts crossed stake
 5650 To Hawk Lake Set
 Pat. at low of fr Secs
 2 & 3. built mound
 with Pts 8 lbs South.
 Prairie Rollins
 1st rate.

~~The Point fr low to
 Secs 2, 3, 10, & 11 being
 in Lake I begin at the
 low of fr Secs 10 & 11
 2.50 chs South of Sect~~