

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 42 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11 1861 190 .....

Survey commenced Aug 20<sup>th</sup> 1861 .....

Survey completed Sept 3 1861 .....

P 109 hr R 42 W

North bet Secs 15 & 16

Na 11° 40' E

1814 To Great Oasis Lake  
 Set Pat at bar to fr  
 Secs 15 & 16 from which  
 Cottonwood 10 hr 85° W 34 ch  
 Elm 6 hr 43° E 49 ch  
 Ascertain the dir  
 across Lake on line  
 as follows I run from  
 bar to pool Secs 15 & 16  
 on South bank of Lake  
 East 2400 ch thence  
 north 434 " to bank  
 of Lake & set flag  
 I then set my compass  
 at point in line bet  
 Secs 9 & 10 on north  
 bank from which  
 flag on South side  
 of Lake br S 17° E

S 109 m. R 42 W

37

which leaves dirt across  
Lake 82, 86 ch. on  
dirt north of Point  
the low to Sec 9, 10, 15 & 16  
21.00 Run north bet  
Sec 9 & 10

21.00 Set Pat at loc of pond  
Sec 9 & 10

from which

W Oak 10 S 37 E 12 th

W Ash 8 N 70 W 6 "

From the low I run  
north bet Sec 9 & 10

Enter Great Oasis

Pinbe at the Point

40.00 Set 44 Pat from which

W Ash 12 N 12 E 18 th

Line 14 S 85 W 34 "

70.00 W. Oak 10 in line

70.95 To Bear Lake Set Pat  
at loc of pond Sec 9 & 10

S 109 N R 42 W

from which  
 W Oak 14 S 63° W 59 lbs  
 W Ash 8 S 64 E 32  
 the Land through  
 the timber is flat.  
 Soil 2<sup>nd</sup> rate.  
 timber mostly W Oak  
 W ash Linden & Elm

~~acres bet Secs 32 & 33  
 Va 11° 40' E~~

~~4000 Set 44 Pk. built around  
 with trench Pts chored  
 stake per instruction  
 8000 Set Pk at low to  
 Secs 28, 29, 32, & 33  
 built around with  
 trench Pts chored  
 Stake per instruction  
 Rolling Plain 1<sup>st</sup> rate~~