

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 107 North, Range No. 42 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

L. S. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11 1861 190 .....

Survey commenced Aug 20<sup>th</sup> 1861 .....

Survey completed Sept 3 1861 .....

P 107 on R 42 W.

Oasis

Po Meander Is. east

Oasis Lake I

commence at the bar  
of pool Secs 16 & 21.26.81 ch. West of bar to  
Secs 15 16, 21, & 22

Va 11° 35' E

Thence in Sec 16.

N 10° W 17.00

S 74° E 7.00

East 9.00

N 80° E 10.00

N 69° E 4.48 Po. etc

bar of pool Secs 15 &amp; 16.

18.14 ch. north of bar to

Secs 15, 16, 21 &amp; 22

In Sec 15.

N 69° E 7.00

East 12.00

N 70° E 8.50

S 107 m R 42 m

79

S 82° E 12.00

N 66 E 25.00

N 50 E 15.00

N 40 E 10.56 To the

bc. of frac Sec 14 & 15.

49.90 ch. north of bc to

Sec. 14 15 22 & 23

---

ch. Sec 14

N 35° E 11.50

N 16 E 15.00

N 14 E 6.61 To the bc

of frac Sec 11 & 14.

67.35 ch. West of bc to Sec

11, 12, 13, & 14

---

In Sec 11

N 16° E 6.00

N 13° W 10.00

N 34 W 14.00

N 52<sup>3</sup>/<sub>4</sub> W 374 To the bc

80

P 107 m R 42 m

of fuel Dec 10 & 11.  
 29.60 chs month of Paint  
 the bar to Dec 10, 11, 14, & 15

In Dec 10

m 48 m	7.50
m 70 m	12.50
S 83 m	1.06
m 80 m	13.00
S 85 m	13.50
S 70 m	9.00
S 44 m	5.00
S 15 m	3.50
S 4° E	6.50
S 15 1/2 m	6.50
S 61 m	5.50
S 85 m	2.40
m 80 m	7.18
m 57 1/2 m	7.00
m 22 1/2 m	1.96

Post the bar  
 of fuel Dec 9, & 10

C 107 or R 42 W.

81

2,100 chs north of Point  
the bar to Sec 9, 10, 15, & 16  
in Lake

A run into fr Sec 9.

M 79 W 100

M 68 W 600

M 77 W 1300

M 85 W 950

S 85 W 2420

S 70 W 400

S 75 W 450

S 64 W 700

S 56 W 750

S 39 W 700

S 12 W 650

S 21 E 343 To the bar

of prod Sec 9 & 16

1,87 chs East of bar to Sec  
8, 9, 16, & 17

P107 m R 42 m

Thence I run into  
Sec 16.

S 66° W 2.06 To the  
bar of gravel bar  
16 & 17. 187 lbs South  
of bar to Sec 8, 9, 16, & 17

In Sec 17.

S 79 3/4° W 7.39  
N 16 2 1/2° W 4.74 To the bar  
of gravel Sec 8 & 17.  
1150 chs West of bar to Sec  
8, 9, 16, & 17

In Sec 8.

N 118° W 7.00  
S 83° W 3.50  
N 147° W 3.40  
N 129° W 6.00  
N 176° W 3.50  
N 116° E 4.00

S 107 m R 42 m

83

S 83° m 8.00  
S 7° E 1.00  
S 10 1/2° E 7.87 Po. the bar  
of frac Secs 8 & 17.  
30.12 ch. West of bar to.  
Secs 8, 9, 16, & 17

---

In Sec 17.

S 4° m 4.50  
S 59° E 12.50  
S 79° E 15.50  
S 21° E 7.26  
S 45 1/2° E 2.50 Po. bar of  
frac Secs 16 & 17.  
57.50 ch. north of bar  
to Secs 16, 17, 20, & 21

---

In Sec 16

S 55° E 6.00  
S 23° E 6.00  
S 72° E 8.00

D 107 m R 42 m.

S 63° E	14.70
S 12 E	13.50
S 61 W	7.00
S 2° W	12.50
N 68 W	8.00
S 9° W	4.50
S 25 1/4 E	9.64
Po. bar of frail Sec 16 & 21.	
20.24 ch East of bar to Sec 16, 17, 21 & 22	

On Sec 21

S 44° E	12.00
S 41 W	7.50
S 20 E	5.50
S 9° E	28.00
S 42 1/2 W	12.00
South	10.00
S 77° E	3.50
N 19 E	8.50
N 32 E	8.50



P 107 m R 42 m.

9737° E	12.00
m14° E	11.00
m18 m	6.50
m13 E	8.50
m164 E	9.00
m121 E	13.55

To the  
Place of Commencing

~~Beaver~~

~~measures of that Portion  
of bear Lake in this  
township, I commence  
at the corner of prairie Secs  
3 & 34 in Twp line 6565 ch  
West of Point the corner  
Secs 2, 3, 34, & 35~~

~~Na 11.35° E~~

~~In Sec 3.~~

<del>S 28° E</del>	<del>4.00</del>
<del>S 3° E</del>	<del>7.00</del>
<del>S 11 m</del>	<del>13.50</del>