

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 8 1861 1861

Survey commenced Sept 20th 1861

Survey completed Oct 9th 1861

P 108 m R 40 W.

17.

North bet Sec 22 & 23.

Na 11° 20' E

28.00 Enter bottom br E N E & W S W.

36.50 Set Post in measured for
Witness Cor for 44 Sec Cor
350 lbs South.

Right angle base 6 chs.

angle with flog m in line
15 3/4 dist 2124 chs

Right angle base 8 chs

angle with flog m in line
20 1/2 dist 2140 chs

Right angle base 10 chs

angle with flog m in line
25 1/2 dist 2105 chs I tacke
as average dist 2130 chs

37.00 Run & leave Supr E N E & W S W

40.00 44 Sec Cor in Slough

57.00 Leave Slough N W & S E

Enter Prairie

57.60 Flog

S 108 m R 40 W.

8000 Set Pat in measured bar
to Sec 15 14 22 & 23.
Except branch & stump
Rolling 2 into Prairie

East Random bet Secs
14 & 23.

Na 11° 50' E

4000 Stump 44 Sec bar
4900 Center hay branch m 8450 ft
53.50 Leave
65.75 Long bed of brush 6 ft
said in shallow ravine m 45
80.10 Int wire Sec line 28 ft
S of Sec bar
Next connected bet Secs
14 & 23.

Na 12° 2' E

40.05 Set 44 Sec bar
Pat in measured
80.10 bar to Secs 14, 15, 22 & 23