

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 190 .....

Survey commenced Sept 20<sup>th</sup> 1861 .....

Survey completed Oct 9<sup>th</sup> 1861 .....

Station N 40 W.

69

West on true line  
bet Secs 6 & 7.

On 12.20.8

21.00 Enter marsh N 1/2 S 84 S 8 W

31.50 Leave "

38.00-39.00 Stick South End  
of hay marsh N 1/2 S 84 S 8 W

40.00 Set 44 Sec. cor.

Put in monument

45.50 Hay marsh N 1/2 S 84 S 8 W

47.50 Leave "

56.00 marsh N 1/2 S 84 S 8 W

58.00 bare slough N 1/2 S 84 S 8 W

6 chs 2 ft ends 55 W 15 chs

Right angle base 150 chs

angle with flog N in

line  $16\frac{1}{2}^\circ$  dist 507 chs

Right angle base 200 chs

angle with flog N in

line  $21\frac{3}{4}^\circ$  dist 501 chs

Right angle base 300 chs

P 108 m N 40 m.

Angle with flag W in  
line  $31^\circ$  dist 498 chs

Dist 500 chs

- 6300 Flag leave Slough 445  
 6400 Leave bank for m 8455 W  
 6738 Pond gravel & mud  
 beach & bottom low bank  
 Shallow stagnant water  
 Set measure bar  
 Put in measured  
 of stone & earth pits  
 & the end  
 bar to see 67 m Pond  
 pretty rolling  
 Soil good & rot  
 344  
 Cottonwood trees on  
 E side of Pond