

# FIELD NOTES

OF THE SURVEY OF THE

## SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 40 West

OF THE

5<sup>d</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

Lewis Brockman

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 8 1861 1861

Survey commenced Sept 20<sup>th</sup> 1861

Survey completed Oct 9<sup>th</sup> 1861

S 108 m N. 40 W.

meander of Bloody Lake  
beginning at meander bar  
on W side of Lake in line  
between 20 & 29.

In Sec 20

On 11' 40' E

N 24 E	2.00	150 Hart's Home W about 150 lb
N 38 1/2 E	2.00	
N 53 1/2 E	2.00	
N 57 E	3.00	} fence by meadow 550 feet " " 600 James Home by 1/4 1/4 W of 1/8 d.
N 66 1/4 E	2.00	
N 76 E	6.00	
N 85 1/4 E	5.50	
S 87 1/2 E	6.00	
S 74 1/4 E	7.00	
S 58 E	5.00	
S 36 E	5.04	Do meadow on

East side of Lake in  
line between 20 & 29.

P 108 m R 40 W.

In Sec 29.

S 36 E 200

S 50 1/4 E 400

S 37 E 500

S 27 E 1350 mouth of

Slough 1350 cross Slough

Right angle base 4 ch angle

with opposite floy  $16\frac{1}{2}^{\circ}$ 

dist 1350 ch. Right angle

base 5 ch angle with

opposite floy  $20\frac{1}{2}^{\circ}$  dist 1350

ch. Right angle base 6 ch

angle with opposite floy

 $24^{\circ}$  dist 1347 ch.

Dist 1350 ch.

N 86 3/4 W 500

S 82 1/2 W 250

S 79 W 400

S 89 W 200

N 63 3/4 W 450

N 48 1/2 W 300

P 108 m R: 40 W.

N 85 1/2 W	6.50
S 21 1/2 W	2.00
S 42 W	4.50
S 11 1/2 E	3.50
S 44 1/2 W	5.00
S 27 3/4 E	2.00
S 11 3/4 E	—
Right angle	
base 3 chs angle with	
opposite side 19 3/4 chs 8.35 ch	
Right angle base 4 chs angle	
with opposite side 25 1/2	
ch 8.42 chs Right angle	
base 5 chs angle with opposite	
side 36 3/4 chs 8.40 ch	
1.00 chs north of	
slough extends East	
15 chs	8.40 same same
S 26° W	5.00
S 58 1/2 W	3.00
S 76 3/4 W	8.50
S 4 W	3.00

P 108 m R 40 m.

S 40 m	300
S 13 1/4 m	300
S 78 1/2 m	250
N 26 1/2 m	830
N 54 1/2 m	300
N 15 2 m	300
N 178 1/4 m	400
N 176 1/2 m	350
N 85 m	000

To Slough

for NW to Lake

Sketch Right angle

base 2 chs angle with

opposite flag 15 1/2 dist 721 chs

Right angle base 3 chs

angle with opposite flag

19 1/4 dist 715 chs Right

angle base 4 chs angle

with opposite flag 22 3/4

dist 714 chs

dist 715 chs

715 across mouth  
of Slough

108 m N 40 W

87.

M 5° E	200
M 4 1/2° E	450
M 16° E	400
S 87° E	450
S 58 1/2° E	250
M 80 1/4° E	264
M 7 1/2° W	200
M 23 1/4° E	500
M 19 3/4° W	600
M 17 1/2° W	650
M 8 9/4° W	650
M 14° E	550
M 2° W	200
M 15 1/2° E	275

Point  
on West side of  
Lake in line bet Secs  
20 & 29 Price of beginning