

FIELD NOTES  
OF THE SURVEY OF THE  
SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 42 West

OF THE

5<sup>th</sup> Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

G. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No. ....

Dated July 11<sup>th</sup> 1861 ~~190~~

Survey commenced Sept 5<sup>th</sup> 1861

Survey completed Sept 14<sup>th</sup> 1861

P 108 m R 42 m

15

The point for corner to sections 26, 27, 34 + 35, being in Hawk lake I begin at corner of secs 26 + 35. 6.04 chs East of said point and run thence North 5.40 chs To a point thence West 6.04 chs. to a point on North bank of Lake + in line between secs 26 + 27.

Set post corner of secs 26 + 27. built mound with pits 8 lbs North from this corner I run North between secs 26 + 27..

Var  $11^{\circ} 22' E$ .

4000 Set 1/4 post built mound with trench pits charred.

16

P 108 in R 42 W

Stake per instruction  
8000 Set post at corner to  
secs 22, 23, 26, & 27.

built mound with  
trench pits charred

Stake per instruction  
Prairie rolling.  
1 ~~st.~~ Rate -