

FIELD NOTES
OF THE SURVEY OF THE
SUBDIVISION AND MEANDER LINES

OF

Township No. 108 North, Range No. 42 West

OF THE

5th Principal Meridian,

IN THE STATE OF MINNESOTA,

AS SURVEYED BY

G. M. Fletcher

U. S. DEPUTY SURVEYOR,

Under his Contract No.

Dated July 11th 1861 ~~190~~

Survey commenced Sept 5th 1861

Survey completed Sept 14th 1861

S 108 m N 42 m

meanders of the
Parties of Lake situated
in frac Secs 7 & 18.

I commence at low of
frac Secs 13 & 18 in West
boundary of township
2040 ch. north of corner
said section & run
with N 12° 30' E
into frac Secs 18.

N 63° E	800 ch	
N 51 E	800 "	66
N 44 E	700 "	66
N 25 E	1600 "	264
N 15 W	650 "	266
N 51 W	600 "	292
N 68 W	1350 "	350
N 6 W	350 "	66
N 8 E	600 "	2100
N 38 E	750 "	2166
N 43 1/4 E	66	331.00
		to the

S 108 m R 42 m ^{73.}

low of fr Secs 7 & 18
65-86 ch. West of low to Secs
7, 8, 17 & 18

From the low down
into fr Secs 7.

M 194 8 785 ch

M 131 M 200 "

M 26 M 6.00 "

M 50 M 7.00 "

M 65 M 7.50 To low of
fr Secs 7 & 18 in

West boundary of Twp

22.25 ch. N. of Pat for
low to Secs 7, 12, 13 & 18
in Lake.

To around Island
in Lake Nemadji at
low of fr Secs 13 & 18 in
West Pdy of Township

74

P 108 m R 42 m

57.45 chs north of bar
to Sec 13 18 19 & 24
(Va 12°30'E

Into Sec 18.
N 65° E 70 m.

N 75 W 100 "

S 62 W 62 " To bar
of said Sec 13 & 18

58.45 chs north of bar
to Sec 13, 18, 19, & 24

~~Mound of Gate John
situated in fr Sec~~

~~14 & 15. Commence
at bar of said Sec~~

~~27.00 chs N of bar to Sec~~

~~14 & 15. 22 & 23~~

~~(Va 11°22'E~~

~~Into fr Sec 14.~~

~~S 67 E 9.50 chs~~

~~S 80 E 4.50~~