


SURVEYOR'S RECORD

Section 8

Township 108

Range 39



June 20 1899

- A. Stone 12x16x32
- B. Stone north of stake
- C. stone 10x10x18
- D. Iron gas pipe 3 inch
- E. Stone 8x10x18
- F. Stone 8x10x32
- G. Stone
- H. stone 4x6x14 E. of Road 3 rods
- I. Gov. mound and stake
- X. stones 8x10x16

J. T. Hoolston

O. Indicated gov. corner see Page 740

"D" Concrete Stone : R.P. Edge of Steel post NE. 40° : R.P. Tack in Cor. post

3.E. 52°

"F" Concrete Stone : R.P. Tack in Cor. post NE. 48° : R.P. Tack in Cor. post

6.E. 48°

"E" Concrete Stone : R.P. Tack in Cor. post East on Line 40° : R.P.


Tack in Cor. post west on Line 40°

SURVEY No. _____

Section 8

Town 108

Range 39



FIELD NOTES.


June 20, 1899

- A Stone 12 x 16 x 22
- B Stone north of stake
- C Stone 10 x 10 x 18
- D Iron gas pipe 3 inch
- E Stone 8 x 10 x 18
- F Stone 8 x 10 x 32
- G Stone
- H Stone 4 x 6 x 14 East of road 2 rods.
- I Hor. mound + stake.
- X Stones 8 x 10 x 16

J. W. Woolstencroft

SURVEY No. 1123

Section 8 Town 108 Range 39



FIELD NOTES.

o Indicates Gov't Corners.
See page 240